

IN THE CLAIMS:

The claims as currently presented and under consideration, are presented below for the Examiner's convenience and to comply with 37 CFR §1.121. This listing of claims will replace all prior versions, and listings, of claims in the application:

1. **(Currently Amended)** An isolated polynucleotide selected from the group consisting of:

- (a) a nucleic acid sequence having at least 85% sequence identity to ~~presented as~~ SEQ ID NO:1, ~~or the complement thereof~~;
- (b) a nucleic acid sequence which encodes ~~or is complementary to a sequence which encodes a~~ ~~[[n]]~~ 029cel polypeptide having at least 85% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (c) a nucleic acid sequence which encodes ~~or is complementary to a sequence which encodes a~~ ~~[[n]]~~ 029cel polypeptide having at least 90% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (d) a nucleic acid sequence which encodes ~~or is complementary to a sequence which encodes a~~ ~~[[n]]~~ 029cel polypeptide having at least 95% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (e) a nucleic acid sequence which encodes ~~or is complementary to a sequence which encodes a~~ ~~[[n]]~~ 029cel polypeptide having the amino acid sequence presented in Figure 3 (SEQ ID NO:3);

wherein said isolated polynucleotide encodes a polypeptide having the biological activity of a cellulase and wherein the identity is determined by the CLUSTAL-W program in MacVector version 6.5, operated with default parameters, including an open gap penalty of 10.0, an extended gap penalty of 0.1, and a BLOSUM 30 similarity matrix.

2. **(Currently Amended)** An isolated polynucleotide selected from the group consisting of:

- (a) a nucleic acid sequence presented as SEQ ID NO:1, ~~or the complement thereof~~;
- (b) a nucleic acid sequence that hybridizes, under high stringency conditions to the sequence presented as SEQ ID NO:1, ~~or the complement or a fragment thereof~~,
- (c) a nucleic acid sequence presented as SEQ ID NO:2, ~~or the complement thereof~~; and
- (d) a nucleic acid sequence that hybridizes, under high stringency conditions to the sequence presented as SEQ ID NO:2, ~~or the complement or a fragment thereof~~,

wherein said isolated polynucleotide encodes a polypeptide having the biological activity of a cellulase and wherein hybridization is conducted at 42 °C in 50% formamide, 6X SSC, 5X Denhardt's solution, 0.5% SDS and 100 µg/ml denatured carrier DNA followed by washing two times in 2X SSPE and 0.5% SDS at room temperature and two additional times in 0.1X SSPE and 0.5% SDS at 42 °C.

3. **(Currently Amended)** The isolated nucleotide of claim 1 wherein the polynucleotide is selected from the group mRNA, DNA, cDNA, genomic DNA, ~~and an antisense analog thereof~~.

4. (Original) The isolated polynucleotide of Claim 3, wherein said polynucleotide is an RNA molecule.

5. **(Currently Amended)** The isolated polynucleotide of claim 1 encoding an enzyme having cellulase activity, wherein the enzyme is isolated from a *Trichoderma* ~~Bacillus~~ source.

6. (Cancelled) The isolated polynucleotide of Claim 5, wherein the enzyme is isolated from *Trichoderma reesei*.

7. **(Currently Amended)** An expression construct comprising a polynucleotide sequence encoding an amino acid sequence having cellulase activity and ~~(i)~~ having at

least 85% sequence identity to the amino acid sequence presented in SEQ ID NO:3, ~~or~~
(ii) ~~being capable of hybridizing to a probe designed to hybridize with the nucleotide~~
~~sequence disclosed in Figure 2 under conditions of intermediate to high stringency, or~~
(iii) ~~being complementary to a nucleotide sequence having at least 85% sequence~~
~~identity to a nucleotide sequence encoding the amino acid sequence presented in SEQ~~
~~ID NO:3 wherein the identity is determined by the CLUSTAL-W program in MacVector~~
version 6.5, operated with default parameters, including an open gap penalty of 10.0, an
extended gap penalty of 0.1, and a BLOSUM 30 similarity matrix.[[.]]

8. **(Currently Amended)** An expression vector comprising the polynucleotide of Claim 1.

9. **(Currently Amended)** An expression vector comprising an isolated polynucleotide of Claim 1, operably linked to control sequences recognized by a host cell transformed with the vector.

10. **(Currently Amended)** An expression vector according to Claim 9 comprising a regulatory polynucleotide sequence including a promoter sequence derived from a glucose isomerase gene of *Actinoplanes*, a signal sequence derived from a *Streptomyces* cellulase gene, and ~~[[a]]the~~ polynucleotide sequence encoding a ~~029eel~~ cellulase.

11. (Original) A vector comprising the expression construct of Claim 8.

12. (Original) A host cell transformed with the vector of Claim 8.

13. (Original) The host cell of Claim 12, which is a prokaryotic cell.

14. (Original) The host cell of Claim 12, which is a eukaryotic cell.

15. **(Currently Amended)** A substantially purified ~~029eel~~ polypeptide with the biological activity of a cellulase, comprising a sequence selected from the group consisting of:

- (a) an amino acid sequence having at least 85% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (b) an amino acid sequence having at least 90% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (c) an amino acid sequence having at least 95% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (d) an amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (e) a substantially purified biologically active fragment of the amino acid sequence presented as SEQ ID NO:3

wherein the identity is determined by the CLUSTAL-W program in MacVector version 6.5, operated with default parameters, including an open gap penalty of 10.0, an extended gap penalty of 0.1, and a BLOSUM 30 similarity matrix.

16. (**Currently Amended**) The substantially purified ~~029cel~~ cellulase polypeptide or a derivative is provided according to Claim 15 which is obtainable from a *Bacillus*.

17. (Original) A method of producing a cellulase comprising the steps of:

- (a) culturing the host cell according to claim 12 in a suitable culture medium under suitable conditions to produce the cellulase;
- (b) obtaining said produced cellulase.

18. (Original) The method of Claim 17 wherein the host cell is a filamentous fungi or yeast cell.

19. (Original) The method of Claim 17 wherein the host cell is a bacterium.

20. (Original) The method of Claim 19 wherein the bacterium is a *Streptomyces*.

21. (Original) A purified enzyme having cellulase activity prepared by the method of Claim 17.

22. (Cancelled) A recombinant host cell comprising a deletion or insertion or other alteration in the *029cel* gene which inactivates the gene and prevents 029cel

polypeptide production.

23. (Cancelled) An antisense oligonucleotide complementary to a messenger RNA that encodes an 029cel polypeptide having the sequence presented as SEQ ID NO:3, wherein upon exposure to a cellulase-producing host cell, said oligonucleotide decreases or inhibits the production of cellulase by said host cell.

24. (Cancelled) The antisense oligonucleotide of Claim 23, wherein the host cell is a filamentous fungi.

25. (Original) A detergent composition, said composition comprising a polypeptide selected from the group consisting of:

- (a) an amino acid sequence having at least 85% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (b) an amino acid sequence having at least 90% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (c) an amino acid sequence having at least 95% sequence identity to the amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (d) an amino acid sequence presented in Figure 3 (SEQ ID NO:3);
- (e) a substantially purified biologically active fragment of the amino acid sequence presented as SEQ ID NO:3

wherein the identity is determined by the CLUSTAL-W program in MacVector version 6.5, operated with default parameters, including an open gap penalty of 10.0, an extended gap penalty of 0.1, and a BLOSUM 30 similarity matrix.

26. (Original) A detergent composition comprising a surfactant and a cellulase according to Claim 15.

27. (Original) The detergent according to claim 25, wherein said detergent is a laundry detergent.

28. (Original) The detergent according to claim 25, wherein said detergent is a dish

detergent.

29. (Cancelled) A feed additive comprising a cellulase according to claim 15.

30. (Original) A method of treating wood pulp comprising contacting said wood pulp with a cellulase according to claim 15.

31. (Cancelled) A method of converting biomass to sugars comprising contacting said biomass with a cellulase according to claim 15.

32. (Cancelled) The method of Claim 31 further comprising the generation of high fructose corn-syrup

33. (Cancelled) A method of producing ethanol, said method comprising the steps of:

- (a) contacting a biomass composition with an enzymatic composition comprising 029cel to yield a sugar solution;
- (b) adding to the sugar solution a fermentative microorganism; and
- (c) culturing the fermentative microorganism under conditions sufficient to produce ethanol,

33. (Cancelled) A method of identifying novel enzymes comprising:

- (a) isolating total microbial community DNA from an environment;
- (b) constructing a genomic DNA library in *E.coli*;
- (c) screening the library for expression of cellulase activity;
- (d) identifying the cellulase gene in the cellulase-positive clone; and
- (e) characterising the novel cellulase enzyme.